

DAFTAR PUSTAKA

- Agussalim, Agus, A., Umami, N. & Budisatria, I.G.S., 2017. Variasi jenis tanaman pakan lebah madu sumber nektar dan polen berdasarkan ketinggian tempat di Yogyakarta. *Buletin Peternakan*, 41(4), pp.448-460.
- Ahmad, S.B., Dar, S.A. & Pandith, B.A., 2017. Comparative foraging behaviour of honey bees, *Apis cerana* f. and *Apis mellifera* l. (Hym : Apidae) on Apple bloom. *Journal of Entomology and Zoology Studies*, 5(1), pp.474-482.
- Amano, K., Nemoto, T. & Heard, T.A., 2000. What are stingless bees and why and how to use them as corps pollinator? a review. *JARQ*, 43, pp.183-190.
- Apituley, F. S., Amin, S. & Bagyo, Y., 2012. Kajian komposisi serangga polinator tanaman apel (*Malus syvestris*) di Desa Poncokusumo Kabupaten Malang. *El-Hayah*, 2(2), pp.85-96
- Apriani, 2009. *Perilaku defenssi dan karakterisasi gen dugaan pada Qtl Sting-2 lebah madu Apis cerana (Fab.) (Hymenoptera: Apidae)*, Bogor: Institut Pertanian Bogor.
- Asmini, 2016. *Peran lebah H Trigona spp. (Apidae : Melliponinae) dalam penyerbukan dan pembentukan biji tanaman sawi (Brassica rapa L : Brassicaceae)*, Bogor: Institut Pertanian Bogor.
- Ayunin, Q., Rauf, A. & Harahap, I.S., 2019. Perilaku kunjungan dan efisiensi penyerbukan *Heterotrigona itama* (Cockerell) dan *Tetragonula laeviceps* (Smith) (Hymenoptera: Apidae) pada Labu Siam. *Jurnal Ilmu Pertanian Indonesia*, 24(3), pp.247-257.
- Balfour, Nicholas, J., Gandy, Sam. & Ratnieks, Francis, L.W. 2015. Exploitative competition alters bee foraging and flower choice. *Behav. Ecol. Sociobiol.*, 69, pp.1731-1738.
- Basari, N., Ramli, S.N. & Khairi, A.S.M., 2018. Food reward and distance influence the foraging pattern of stingless bee, *Heterotrigona itama*. *Insecta*, 9, pp.1-10.
- Cane, J.H., 2001. Habitat fragmentation and native bees: a premature verdict?. *Ecology and society*, 5, pp.1-10
- Chinh, T.X., 2005. Nest architecture and colony characteristic of three *stingless bees* in North Vietnam with the first description of the nest of *Lisotrigona*

- carpenter* Engel (Hymenoptera: Apidae, Meliponini). *Journal Kans. Entomol. Soc.*, 3, pp.26-39.
- Drickamer, L.C., Vessey, S.H. & Jokob, E.M., 2002. *Animal behavior*. New York: McGraw-Hill Companies.
- Dudareva, N. & Pichersky, E., 2006. *Biology of Floral Scent*. London: Taylor and Francis ed.
- Faheem, M., Aslam, M. & Razaq, M., 2004. Pollination ecology with special reference to insects a review. *Journal of Research (Science)*, 15(4), pp.395-409.
- Figueiredo-Mecca, G., Bego, L.R. & Nascimento, F.S., 2013. Foraging behavior of *Scaptotrigona depilis* (Hymenoptera, Apidae, Meliponini) and its relationship with temporal and abiotic factors. *Sociobiology*, 60, pp.277-282.
- Goulson, D. & Sparrow, K.R., 2009. Evidence for competition between honeybees and bumblebees; effects on bumblebee worker size. *J. Insect. Conserv.*, 13, pp.177-181.
- Hemalatha, D., Jayaraj, J., Murugan, M., Balamohan, T.N., Senthil, N., Chinniah, C., Suresh, K. 2018. Foraging performance of Indian honey bee *Apis cerana indica* (F.), during winter in Madurai district of Tamil Nadu, India. *Journal of Entomology and Zoology*, 6(3), pp.224-227.
- Hepburn, C. & Radloff, S., 2011. *Honeybees of Asia*. Berlin: Heidelberg, Germany: Springer.
- Hoehn, P., Tscharntke, T., Tylianakis, J.M. & Steffan-Dewenter, I., 2008. Functional group diversity of bee pollinators increases crop yield. *Proc. R. Soc. B.*, 275, pp.2283-2291.
- Hudewenz, A. & Klein, A. M., 2013. Competition between honey bees and wild bees and the role of nesting resources in a nature reserve. *Journal Insect Conserv.*, 17, pp.1275-1283.
- Indraswari, A.G.M., Atmowidi, T. & Kahono, S., 2016. Keanekaragaman, aktivitas kunjungan, dan keefektifan lebah penyerbuk pada tanaman tomat (*Solanum lycopersicum* L: Solanaceae). *Jurnal Entomologi Indonesia*, 13(1), pp.21-29.
- Jacobus, S. & Lamerkabel, A., 2011. Mengenal jenis-jenis lebah madu, produk-produk dan cara budidayanya. *Jurnal Ilmu dan Pengetahuan Teknologi*, 9(1), pp.70-78.

- Jayuli, M., Junus, M. & Nursita, I.W., 2018. Pengaruh ketinggian terhadap diameter polen lebah madu (*Apis cerana*) di Kabupaten Malang. *Jurnal Ternak Tropika*, 19(1), pp.9-21.
- Joshi, N.C. & Joshi, P.C., 2010. Foraging behaviour of *Apis* sp. in subtropical environment. *Journal New York Science*, 3(3), pp.71-76.
- Khan, K.A., Ahmad, K.J., Razzaq, A. & Shafiqe, M., 2012. Pollination effect of Honey Bees, *Apis mellifera* L. (Hymenoptera: Apidae) on apple fruit development and its weight. *Persian Fulf Crop Protection*, 1(2), pp.1-5.
- Kasno, Hasan, Zainal, A.E. Efendi, Dedi, Sholeh, & Syaefuddin., 2010. Efektivitas 3 spesies lebah madu sebagai agen polinasi untuk meningkatkan produktivitas (>40%) biji Jarak Pagar (*Jatropha curcas*) pada ekosistem iklim basah. *Jurnal Ilmu Pertanian Indonesia*, 1(5), pp.25-33.
- Kim, C.G., Kim, D.I., Kim, H.J., Park, J.E., Lee, B., Park, K.W., Jeong, S.C., Choi, K.H., An, J.H., Cho, K.H., Kim, Y.S. & Kim, H.M., 2009. Assessment of gene flow from genetically modified anthracnose-resistant chili pepper (*Capsicum annuum* L.) to a conventional crop. *Journal Plant Bio.*, 52, pp.251-258.
- Klein, A. *et al.*, 2007. Importance of pollinators in changing landscapes for world crops. *Proceedings of the Royal Society of London Series B – Biological Sciences*, 274, pp.303-313.
- Mariyana, A.I. & Naim, M., 2016. Potensi pemanfaatan lebah (*Trigona* sp) pada penyerbukan terhadap produksi wijen. *Jurnal Pertanian Berkelanjutan*, 4(3), pp.1-11
- Mohr, H. & Schopfer, P., 1995. *Plant physiology*. Berlin: Springer-Verlag.
- Mulyono, Susdiyanti, T. & Supriono, B., 2015. Kajian ketersediaan pakan lebah madu lokal (*Apis cerana* Fabr.). *Jurnal Nusa Sylva*, 16(2), pp.18-26.
- Nascimento, D.L. & Nascimento, F.S., 2012. Extreme effects of season on the foraging activities and colony productivity of a stingless bee (*Melipona asilvei* Moure) in Northeast Brazil. *Psyche*, , pp. 1-6.
- Nepi, M., Guarnieri, M. & Pacini, 2001. Nectar secretion, reabsorption, and sugar composition in male and female flowers of *Cucurbita pepo*. *International Journal of Plants Sciences*, 162(2), pp.353-358.
- Nielsen, A. *et al.*, 2017. Effects of competition and climate on a crop pollinator community. *Agriculture, Ecosystems and Environment*, 246, pp.253-260.

- Ollerton, J., 2017. Pollinator diversity: Distribution, ecological function, and conservation. *Annual Review of Ecology, Evolution, and Systematics*, 48, pp. 353-376.
- Palupi, E.R., Rosliani, R. & Hilman, Y., 2015. Peningkatan produksi dan mutu benih botani bawang merah (True Shallot Seed) dengan introduksi serangga penyerbuk. *Jurnal Hort.*, 25(1), pp. 26-36.
- Pinkus-Rendon, M.A., Parra-Tabla, V., 2005. Floral resource use and interactions between *Apis mellifera* and native bees in cucurbit crops in Yucatan, Mexico. *Entomol*, 137, pp.441-449.
- Potts, S.G., Biesmeijer, J.C., Kremen, C., Neumann, P., Schweiger, O. & Kunin, W.E. 2010. Global pollinator declines: trends, impacts and drivers. *Trends in Ecology and Evolution*, 25, pp.345-353.
- Putra, D.P. & Badal, B., 2018. Efektivitas pollinasi *Apis cerana* Fabr dan *Trigona laeviceps* dalam meningkatkan hasil tanaman cabai (*Capsicum annuum* L.). Prosiding SEMNAS Bio-Edu, pp.348-358.
- Putra, D.P., Dahelmi, M.S.S. & Swasti, E., 2016. Pollination in chili pepper (*Capsicum annuum* L.) by *Trigona laeviceps* and *T. minangkabau* (Hymenoptera, Meliponini). *Journal of Entomology and Zoology Studies*, 4(4), pp.191-194.
- Putra, R.E., Permana, A.D. & Kinasih, I., 2014. Application of Asiatic Honey Bees (*Apis cerana*) and Stingless Bees (*Trigona laeviceps*) as pollinator agents of Hot Pepper (*Capsicum annuum* L.) at Local Indonesia Farm System. *Hindawi Publishing Coeporation Psyche*, pp.1-5.
- Ribbands, C.R., 1949. The foraging method of individual honey-bees. *Journal Anim. Ecol.*, 18, 47-66.
- Ruslan, W., Afriani, Miswan. & Elojonnahdi., 2015. Frekuensi kunjungan lebah *Apis cerana* dan *Trigona* sp. sebagai penyerbuk pada tanaman *Brassica rapa*. *Journal of Nature Science*, 4(1), pp.65-72.
- Santos, Roselino, A.C., Hrnair, M. & Bego, L.R., 2009. Pollination of tomatoes by stingless bee *Melipona quadrifasciata* and the honey bee *Apis mellifera* (Hymenoptera, Apidae). *Genetics and Molecular Research*, 8, pp.751-757.
- Sari, W.R., Widhiono, I. & Darsono, 2020. Efektivitas penyerbukan lebah madu (*Apis mellifera*) pada tanaman stroberi (*Fragaria x ananassa* var Duch.) di Desa Serang, Purbalingga. *BioEksakta*, 2(1), pp.86-90.
- Segers, F.H.I.D., Taborsky, B. 2012. Competition level determines compensatory growth abilities. *Behav. Ecol.* 23, 665-671.

- Shaara-Abou, H.F. 2014. The foraging behaviour of honey bees, *Apis mellifera*. *Veterinari Medicina*, 59(1), pp.1-10
- Shavit, O., Dafni, A., & Ne'eman, G. 2009. Competition between honeybees (*Apis mellifera*) and native solitary bees in the Mediterranean region of israel- Implications for conservation. *Israel Journal of Plant Sciences*, 57, pp.171-183
- Sing, M.M., 2008. Foraging behavior of himalayan honeybee (*Apis cerana* F.) on flower of *Fagopyrum esculentum* M. and impact on grain quality and yield. *Ecoprint*, 15, pp.37-46.
- Southwick, E.E. & Southwick, L., 1992. Estimating the value of honeybees (Hymenoptera: Apidae) as agricultural pollinators in the United States. *Entomol.*, 85, pp.621-633.
- Verma, L.R. & Dulta, P.C., 1986. Foraging behaviour of *Apis cerana indica* and *Apis mellifera* in pollinating apple flowers. *Journal Apic Res*, 25, pp.197-201
- Verma, L.R. & Rana, R.S., 1994. Further studies on the behaviour of *Apis cerana* and *Apis mellifera* foraging on apple flowers. *Journal of Apicultural Research*, 33(3), pp.157-179.
- Vogel, S., 1998. Remarkable nectaries: structure, ecology, organophyletic perspectives III Nectar ducts. *Flora*, 193(2), pp.113-131.
- Walter, S. & Taylor, B., 2006. Effects of honey bee pollination on pumpkin fruit and seed yield. *Horticultural Science*, 41, pp.370-373.
- Willmer, P.G. & Stone, G.N., 2004. Behavioral, ecological, and physiological determinants of the activity patterns of bees. *Advances in the Study of Behavior*, 34, pp.347-466.
- Yustia, I.P.J., Rauf, A. & Maryana, N., 2017. Ritme aktivitas penerbangan harian *Tetragonula laeviceps* (Smith) (Hymenoptera: Apidae) di Bogor. *Jurnal Entomology Indonesia*, 14(3), pp.61-69.